








# Shanghai Xinfan Industrial Corporation






## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
DH-Q4		161	2	15.5*46	80	Pull-tight	PP	two pieces	10	single plastic locking system	Indicative (I)	
TSS-PS01		187	7	25*55	80	Pull-tight	PP	one-piece	5	single plastic locking system	Indicative (I)	
BIPS200DL		200	10	/	240	Fixed Length	PP	two pieces	10	double plastic locking system	Indicative (I)	
DH-P		207	6	/	200	Fixed Length	PP	one-piece	20	single plastic locking system	Indicative (I)	
DH-Q5		240	2	15.5*46	80	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	



# Shanghai Xinfan Industrial Corporation






## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
TSS-PF268C		268	3	17*40	80	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	
TSS-Q7		300	2	19*50	80	Pull-tight	PP	two-piece	10	single stainless steellocking system	Indicative (I)	
TSS-R6		450	9.2	56*106	400	Pull-tight	PP	one-piece	10	double plastic locking system	Indicative (I)	
ERPS200		200	5	20*63	80	Pull-tight	PP	one-piece	10	single plastic locking system	Indicative (I)	
ERPS300		300	7	25*71	350	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	



# Shanghai Xinfan Industrial Corporation






## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
ERPS400		400	7	25*71	350	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
ERPS500		500	7	25*71	350	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
RTPS200-1.5		200	1.5	14*42	80	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
TSS-RTPS200		200	2.5	20*56.7	130	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
TSS-RTPS300		300	2.5	20*55.7	150	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	



# Shanghai Xinfan Industrial Corporation






## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
RTPS400		400	4	25*70	280	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
TSS-RTPS500		500	4	30*70	320	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	
NTPS200		200	2.5	20*60	80	Pull-tight	PP	one-piece	10	single plastic locking system	Indicative (I)	
NTPS250		250	3	18*36.5	120	Pull-tight	PP	one-piece	10	single plastic locking system	Indicative (I)	
NTPS300		300	3.5	25*46	150	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	



# Shanghai Xinfan Industrial Corporation






## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
NTPS400		400	3	25*65	160	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	
NTPS500		500	3	25*65	160	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	
NEW TSS-NTPS200		200	3.4	18*35	150	Pull-tight	PP	two-piece	10	single plastic locking system	Indicative (I)	tear-off
NEW TSS-R		335	6	20*53	200	Pull-tight	PP	one-piece	10	single plastic locking system	Indicative (I)	tear-off
TSS-RTPS350T		350	2	20*41	220	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	tear-off



# Shanghai Xinfan Industrial Corporation

## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
ERPS400T		400	7	25*71	250	Pull-tight	PP	two-piece	10	single stainless steellocking system	Indicative (I)	tear-off, with a hang hole for tags
TSS-R5		540	3	30*87	250	Pull-tight	PP	two pieces	10	single stainless steellocking system	Indicative (I)	tear-off, with a hang hole for tags
RTPS250-BIGFLAG		250	2	65*105	250	Pull-tight	PP	two pieces	5	single stainless steellocking system	Indicative (I)	big flag
ERPS400-BIGFLAG		410	7	60*90	450	Pull-tight	PP	two pieces	1	single stainless steellocking system	Indicative (I)	big flag
LOGI CAP SEAL		300	5	/	250	Pull-tight	PP	one-piece	1	single plastic locking system	Indicative (I)	oil cap seal



# Shanghai Xinfan Industrial Corporation

## Plastic Security Seals

Model No.	Product Image	Length (mm)	Strap Width / diameter (mm)	Flag Size (mm)	Tensil (N)	Type	Material	Construction	Quantity per strip (pcs)	Locking Mechanism	Classification Rating	Characteristics
TSS-FS01		17.5	16.3	8*17.5	/	Fixed Length	PP	one-piece	1	single plastic locking system	Indicative (I)	tote box seal
TSS-ZIP01		21.5	11.32	/	/	Fixed Length	ABS	one-piece	10	single plastic locking system	Indicative (I)	security bag seal
TSS-ZIP02		27.0	11	/	/	Fixed Length	ABS	one-piece	10	single plastic locking system	Indicative (I)	security bag seal